






DUAL BLADES

Part No	Description	Image
BRP1211  9 13165961 019854	Dual Blade - 3/8" Centre Hole Suits: Bent Shaft Machines eg. MAC17 etc Standard Pack 1	
BRP1212  9 13165961 019861	Dual Blade - 1" Centre Hole Suits: Straight Shaft Machines Standard Pack 1	

TRIPLE BLADES

Part No	Description	Image
BRP1213  9 13165961 019878	Triple Blade - 3/8" Centre Hole Suits Bent Shaft Machines eg. Eager Beaver, McCulloch and Weedeater Standard Pack 1	
BRP1214  9 13165961 007257	Triple Blade - 1" Centre Hole Suits Straight Shaft Machines Standard Pack 1	
BRP5430H  9 13165961 046218	Homelite Triple Blade 25mm Hole Plastic Blade Adaptor Kit for bent shaft machines. Standard Pack 1	
BRP5430M  9 13165961 046201	McCulloch Triple Blade 25mm Hole Plastic Blade Adaptor Kit for bent shaft machines. Standard Pack 1	

TRIPLE BLADES

Part No	Description	Image
BRP5430R	Triple Blade 25mm Hole Plastic Blade Adaptor Kit - Ryobi Standard Pack 1	

FOUR TOOTH BLADES

Part No	Description	Image
BRP5432	9" 4 Tooth Plastic Blade with 1" Hole Standard Pack 1	


EIGHT TOOTH BLADES

Part No	Description	Image
BRP1509	8 Tooth Blade with 1" Centre Hole - Plastic Standard Pack 1	







PLASTIC BLADES SET

Part No	Description	Image
BRP3169	Stihl Brushcutter Blade Set OEM: 4111-007-1001 Standard Pack 12	







WEEDWAKKA

Part No	Description	Image
BRR7415	<p>Weedwakka Heavy Duty brushcutter blade.</p> <p>Fits: All straight shaft brushcutters, cuts everything from lawn to blackberries, tough woody weeds, tall grass & suckers to thumb thickness.</p> <p>Replaces conventional steel and plastic blades. Articulated steel blades deflect if they hit a solid object.</p> <p>The weedwakka is installed in the same manner as a conventional steel blade & has a 25mm hole, a reducer washer is also included for 20mm applications.</p> <p>Standard Pack 1</p>	





WEEDWAKKA

Part No	Description	Image
BRR7418  9 13165961087143	Weedwakka Multi Cut plastic brushcutter blade. Fits: All straight shaft brushcutters, designed to cut vegetation ranging from fine lawn to thistles, thin woody weeds and grass to knee height. The blades are easy to see when spinning, enabling accurate cutting around trees, along walls & edges. Replaces nylon cord and conventional plastic blades. The Weedwakka is installed in the same manner as a conventional steel blade, a reducer washer is also included for 20mm applications. Standard Pack 1. For replacement blades use either our BRR7420 (6 pack) or BRR7422 (50 pack)	
BRR7420  9 13165961087150	Weedwakka 6 pack of replacement plastic blades, skin packed for retail display. Use with our BRR7418 Weedwakka multi cut head. Standard Pack 1	
BRR7422  9 13165961087167	Weedwakka bulk 50 pack of replacement plastic blades. Use with our BRR7418 Weedwakka Multi Cut. Standard Pack 1	

BRUSHCUTTER THROTTLE LEVERS

Part No	Description	Image
BRR1282L  9 13165961020102	Universal Throttle Lever - LONG Reverse Action Suits Outer Shaft Applications	
BRR1282S  9 13165961020119	Universal Throttle Lever - SHORT 1/2 Throttle Lock Suits Hoop Handle Applications	
BRR1662  9 13165961020126	McCulloch Throttle Control Body Only (no switch) Suits MAC17 & MAC25 Ryobi RGH600, RWH900 & RSH900	

HARNESSES

Part No	Description	Image
BRR4027  9 13165961023356	Brushcutter Super Harness Standard Pack 1	
BRR5293  9 13165961046102	Brushcutter Harness (black) Single Strap Standard Pack 1	







THROTTLE CABLES & ACCESSORIES

Part No	Description	Replaces OEM	Image
BRR3906 	Cable Barrel End - 5/16" Diameter: 8mm Length: 9mm Countersunk Hole: 6.5mm Standard Pack 10		
BRR3908 	Cable Nipple 1/4" Barrel Type Standard Pack 10		
BRR3909 	Cable Ferrule (small) Diameter: 3mm Length: 3mm Hole: 1.5mm Standard Pack 10		
BRR3910 	Cable End Protectors Diameter: 6mm Length: 10mm Hole: 2.5mm Standard Pack 10		
BRR3904 	Outer Throttle Cable 50ft Roll Standard Pack 1		
BRR3905 	Inner Throttle Cable 50ft Roll (Multi Strand Cable) Standard Pack 1		
BRR1724 	Universal Short Cable Throttle 12" (305mm) Outer Cable Measurement Standard Pack 1		
BRR1725 	Universal Long Cable Throttle 41" (1041mm) Outer Cable Measurement Standard Pack 1		
BRR6019 	McCulloch Throttle Cable Inner Wire: 10 5/8" (270mm) Conduit: 9 1/2" (241mm) Suits Chainsaws & Trimmers Standard Pack 1	322409	
BRR6018 	McCulloch Clutch Drive Throttle Cable including MAC3227 Inner Wire: 16" (406mm) Conduit: 7 1/4" (184mm) Suits Trimmers with Clutch Standard Pack 1	300372	
BRR6017 	McCulloch Throttle Cable Braided Inner Wire: 16 1/4" (412mm) Conduit: 7" (178mm) Suits Models Mac 2815 2816 without Clutch Standard Pack 1	300149	
BRR6020 	McCulloch Throttle Cable Inner Wire: 14 1/2" (368mm) Conduit: 7 1/4" (184mm) Suits Trimmers with Clutch Standard Pack 1	224206	
BRR6025 	Homelite Throttle Cable Inner Wire: 17" (432mm) Conduit: 12 5/8" (320mm) Suits ST155 Trimmers Standard Pack 1	08832-01	

CLUTCHES

Part No	Description	Image
BRR1696  9 316596 102014 0	B6 Clutch Kit Suitable For Shikutani LRD200, STIHL FS80, FS50, FS51, FS60, FS65, FS81, FS86 Models. STIHL OEM: 4112-160-2002 / 4112-160-2001, Robin NB02 Falcon Models and others Hole: 6 mm, Hole Centres: 33 mm, O.D: 51 mm, Shoe Depth 15 mm Standard Pack 1	
BRR5297  9 316596 105353 7	Clutch Shoe Assembly Suit Tas TD-32, Kawasaki T-33 Hole: 10 mm, Hole Centres: 52 mm, O.D: 76 mm, Shoe Depth 14 mm Standard Pack 1	
BRR5298  9 316596 105354 4	Clutch Shoe Assembly Suit Shindaiwa T20 Hole: 8 mm, Hole Centres: 33 mm, O.D: 51 mm, Shoe Depth: 16 mm Standard Pack 1	
BRR5416  9 316596 105361 2	Clutch Assembly Suits Stihl FS36, FS40, FS44, Trimmers. Hole: RH Threaded, O.D: 61 mm, Shoe Depth: 12.6 mm Stihl OEM: 4130-160-2000 Ryobi OEM: 181598 Standard Pack 1	
BRR5612  9 316596 105365 0	Clutch Suits Shindaiwa Models T27, T270 Hole: 9 mm, Hole Centres: 33 mm, O.D: 53mm, Shoe Depth: 19.2 mm Standard Pack 1	
BRR5613  9 316596 105366 7	Clutch Shoe Assembly Suits Shindaiwa Models F18 Hole: 9 mm, Hole Centres: 33 mm, O.D: 51mm, Shoe Depth: 16.2mm T/C/F/LE/PB230, T/C/LE250, T/C25/260 Standard Pack 1	











CLUTCH SPRINGS

Part No	Description	Image
BRR5059  9 316596 102339 4	Clutch Spring Suits MAC17 & Ryobi RGH600 Overall Length: 107 mm Standard Pack 1	
BRR5326  9 316596 105358 2	Ryobi Clutch Spring Overall Length: 150 mm Standard Pack 1	
BRR6101  9 316596 107045 9	Ryobi Clutch Spring Suits our BRR5416 Clutch Assembly Overall Length: 20 mm Standard Pack 2	







STARTER PARTS

Part No	Description	Replaces OEM	Image
BRR5639 	Homelite Starter Pulley Fits XL Super 2, 240 & 245 Series OD: 2 9/16" ID: 15mm Standard Pack 1	97768A	
BRR5769 	Homelite Starter Pulley Suit ST145, 155, 175 Use with our Spring SSC5776 Also fits Talon AB3201 Petrol 32cc Blower / Vacuum Standard Pack 1	98770A	
BRR6269 	Honda Recoil Starter Pulley Assembly Also Suits Komatsu G34/160 Standard Pack 1	28400-ZM3-003	
BRR5600 	Kawasaki / Stihl / Shindaiwa Starter Pulley OD: 2 7/8" ID: 9/16" Standard Pack 1		
BRR6076 	Kawasaki KBL26 / Shindaiwa Recoil Pulley OD: 2" ID: 7/16" Standard Pack 1	70030-75120	
BRR5328 	Ryobi Starter Pulley OD: 2 7/8" BORE: 5/8" 6 Tooth Standard Pack 1	683856	





BLADE WASHERS

Part No	Description	Replaces OEM	Image
BRR5294 	Tanaka Blade Washer OD 1 7/8" (48mm) ID 3/8" (10mm) 6 Tooth Splined Standard Pack 1 Set		
BRR5295 	Shingu Blade Washer OD 1 7/8" (48mm) ID 3/8" (10mm) 10 Tooth Splined Standard Pack 1 Set		
BRR5296 	Mitsubishi F4 Blade Washer OD 1 11/16" (43mm) ID 1/2" (12mm) 10 Tooth Splined Standard Pack 1 Set		
BRR6798 	Blade Support / Nut & Bolt Protector. 85mm O.D x 8mm I.D Fits straight shaft brushcutters when using a steel blade to prevent damage to the mounting nut or bolt. Standard Pack 1		
BRR6801 	Blade Support / Nut & Bolt Protector. 85mm O.D x 10mm I.D Fits straight shaft brushcutters when using a steel blade to prevent damage to the mounting nut or bolt. Standard Pack 1		



HANDLES & STARTER HANDLES

Part No	Description	Replaces OEM	Image
BRR1704  9 13165961020201	Handle for Bent Shaft 7/8" Shaft Size Standard Pack 1		
BRR1712  9 13165961020249	Tanaka Plastic Starter Handle Suits all Brushcutters Standard Pack 1		
STR3655  9 13165961042838	Husqvarna Starter Handle Standard Pack 1		





CHOKE KNOB & SHAFT

Part No	Description	Replaces OEM	Image
BRR5037  9 13165961023370	Choke Knob Suits Mac 17 & 25 and Ryobi Models Standard Pack 1		
BRR5038  9 13165961023387	Choke Knob Shaft Suits Mac 17 & 25 and Ryobi Models Standard Pack 1		

GEAR CASE

Part No	Description	Replaces OEM	Image
BRR6542  9 13165961076383	Universal Gear Case Assembly Multi Fit Use with 10mm x 1.25 LH Female Nylon Heads & Arbors Includes 8 Drive Shaft Adaptors & 4 Reducing Bushes to suit 24mm, 25mm, 25.4mm & 26mm Outer Shafts. Fits: Most Echo Trimmers up to 26cc including 22G EFCO 8400 Honda Models with Oval Drive Shafts Kaaz TU24, TU26 Kawasaki - Selected Models Mitsubishi - Selected Models Maruyama - Selected Models Oleo Mac 740T Shindaiwa B45, C350 Stihl FS85 up to (but not including FS200) FS280, FS400, FS450 Tanaka 24cc Selected Models Standard Pack 1		

GREASE

Part No	Description	Replaces OEM	Image
BRR1710  9 13165961020225	Brushcutter Grease for Straight Shaft Gearbox 100 gram Tube Comes supplied with nozzle for easy application into any gearbox Heat, Water & Acid Resistant Standard Pack 1		
BRR6501  9 13165961075300	Inox M6 Grease - 30g Tube Standard Pack 1		







GUARDS

Part No	Description	Replaces OEM	Image
BRR1702  9 13165961020171	Bent Shaft Guard Plastic 7/8" Diameter (including Bracket) For replacement guard use our BRR1718 Standard Pack 1		
BRR1702M  9 13165961020188	Straight Shaft Guard Metal 7/8" Diameter (including Bracket) Standard Pack 1		
BRR1703  9 13165961020195	Bracket Suits Straight Shaft Guard 1" Diameter Use with our BRR1718 Plastic Guard Standard Pack 1		
BRR1718  9 13165961020294	Safety Guard Only suits BRR1702 Use with our BRR1703 Straight Shaft Brackets or as a replacement guard for our BRR1702 Bent Shaft Guard Kit Standard Pack 1		
BRR4038  9 13165961023363	Universal Straight Shaft Guard (Plastic) Kawasaki TG24 Standard Pack 1	AA60-851	
BRR5318  9 13165961053551	Universal Guard Assembly to Suit Straight Shaft Standard Pack 1		
BRR5508  9 13165961053629	Universal Metal Guard with 2 Brackets Standard Pack 1		

GUARDS

Part No	Description	Replaces OEM	Image
BRR5509  91316596110536361	Universal Metal Guard with 2 Brackets and Flap Standard Pack 1		
BRR5608  91316596110536431	Shindaiwa Guard Assembly Suits Models F230 & F20 Standard Pack 1		
BRR1711  91316596110688521	Ryobi Grass Guard Fits Bent Shaft Trimmers using 4 Mounting Screws including Lawn Hornet, etc Also Fits MTD LT31 & LT31C Bent Shaft Trimmers Standard Pack 1	683274	

SPARE PARTS

Part No	Description	Replaces OEM	Image
BRS2691  91316596110235541	Spacer Washer For Reducing Brushcutter Blades from 1" to 3/4" Standard Pack 5		
BRR6798  91316596110808541	Blade Support / Nut & Bolt Protector. 85mm O.D x 8mm I.D Fits straight shaft brushcutters when using a steel blade to prevent damage to the mounting nut or bolt. Standard Pack 1		
BRR6801  91316596110808611	Blade Support / Nut & Bolt Protector. 85mm O.D x 10mm I.D Fits straight shaft brushcutters when using a steel blade to prevent damage to the mounting nut or bolt. Standard Pack 1		

DIAMOND
EDGE

TRIMMER
LINE

















MADE IN USA







Your trimmer is only as
good as the line you use

Special square design
ensures a superior cut

TRI-BLADE NO. 2

Part No	Description	Hole Size	Steel Thickness	Image
BRS5471  9 13165961053872	9" Blade	25.4mm Hole	1.8mm Steel Thickness	
BRS5473  9 13165961053896	9" Blade Heavy Duty	25.4mm Hole	3.0mm Steel Thickness	
BRS5472  9 13165961053889	10" Blade	25.4mm Hole	1.8mm Steel Thickness	
BRS5474  9 13165961046850	10" Blade Heavy Duty	25.4mm Hole	3mm Steel Thickness	
BRS5476  9 13165961053902	12" Blade Heavy Duty	25.4mm Hole	3mm Steel Thickness	
BRS5477  9 13165961053919	12" Blade Heavy Duty	25.4mm Hole	4mm Steel Thickness	
BRS5478  9 13165961053926	14" Blade Heavy Duty	25.4mm Hole	3mm Steel Thickness	
BRS5479  9 13165961053933	14" Blade Heavy Duty	25.4mm Hole	4mm Steel Thickness	

TRI-BLADE NO. 3

Part No	Description	Hole Size	Steel Thickness	Image
BRS5455  9 13165961053735	9" Blade Light Weight	25.4mm Hole	1.4mm Steel Thickness	
BRS5456  9 13165961053742	10" Blade Light Weight	25.4mm Hole	1.4mm Steel Thickness	





4 TOOTH

Part No	Description	Hole Size	Steel Thickness	Image
BRS5457  9 13165961053759	8" Blade Lightweight	25.4mm Hole	1.4mm Steel Thickness	
BRS5458  9 13165961046607	9" Blade Lightweight	25.4mm Hole	1.4mm Steel Thickness	
BRS5459  9 13165961046614	10" Blade Lightweight	25.4mm Hole	1.4mm Steel Thickness	






8 TOOTH

Part No	Description	Hole Size	Steel Thickness	Image
BRS5303  9 13165961053728	8" Blade Lightweight	25.4mm Hole	1.4mm Steel Thickness	
BRS5461  9 13165961053773	9" Blade Lightweight	25.4mm Hole	1.4mm Steel Thickness	
BRS5462  9 13165961053780	10" Blade Lightweight	25.4mm Hole	1.4mm Steel Thickness	





50 TOOTH

Part No	Description	Hole Size	Steel Thickness	Image
BRS5463  9 13165961053797	9" Blade Lightweight	25.4mm Hole	1.4mm Steel Thickness	
BRS5464  9 13165961053803	10" Blade Lightweight	25.4mm Hole	1.4mm Steel Thickness	




80 TOOTH

Part No	Description	Hole Size	Steel Thickness	Image
BRS5465  9 13165961053810	8" Blade Lightweight	25.4mm Hole	1.4mm Steel Thickness	
BRS5466  9 13165961053827	9" Blade Lightweight	25.4mm Hole	1.4mm Steel Thickness	
BRS5467  9 13165961053834	10" Blade Lightweight	25.4mm Hole	1.4mm Steel Thickness	

SAW BLADES

Part No	Description	Hole Size	Steel Thickness	Image
BRS2344  9 13165961023509	9" Ripsnort Blade Scolloped	25.4mm Hole	1.6mm Steel Thickness	
BRS5936  9 13165961053940	9" Tungsten Carbide Tip Blade 16 Tooth	25.4mm Hole	2mm Steel Thickness	

BLADE SUPPORT

Part No	Description	Image
BRR6798  9 13165961080854	Blade Support / Nut & Bolt Protector 85mm O.D x 8mm I.D Fits straight shaft brushcutters when using a steel blade to prevent damage to the mounting nut or bolt. Standard Pack 1	
BRR6801  9 13165961080861	Blade Support / Nut & Bolt Protector 85mm O.D x 10mm I.D Fits straight shaft brushcutters when using a steel blade to prevent damage to the mounting nut or bolt. Standard Pack 1	